

The why and how of high throughput satellites

 By [Dawie de Wet](#)

2 Dec 2016

On August 24 this year, Intelsat announced that Intelsat 33e, the second of seven planned Intelsat Epic high throughput satellites, was launched successfully from French Guiana aboard an Ariane 5 launch vehicle. Intelsat 33e, manufactured by Boeing, will bring high throughput capacity in both C- and Ku-band to the Africa, Europe, Middle East and Asia regions.



According to Africa Bandwidth Maps, Africa's terrestrial network reached 732,662km in 2012. Most of Africa's main urban hubs are now connected by fibre transmission networks, and national networks are steadily increasing and connecting secondary cities.

So why develop new satellite technologies? Why invest billions in satellite services for Africa when fibre and mobile services are ever expanding and reaching more and more of the population?

With urbanisation increasing across the continent, the fibre network is focused on connecting high density zones. In fact, 173.9 million people are within 10km reach of a terrestrial fibre network, 345.1 million people are within 25km reach and 522.3 million within 50km reach of a terrestrial fibre network. That leaves 341.1 million people beyond the reach of fibre nodes.

This answers why satellite is becoming an increasingly important connectivity technology. We need every possible technology option to meet the ever-growing demand for always-on everywhere connectivity. This includes fibre, wireless, mobile networks, Wi-Fi and satellite. Plus, satellite offers some interesting advantages in providing services over vast areas, with rapid deployment programmes.

Past perceptions

There is a perception of satellite being slow, having a latency problem and being expensive. With satellite being used as a telecommunication medium since the 1960's, it is understandable that some perceptions will persist, and technical teams tend to judge satellite from early references or general market perceptions.

The reality is very different. Satellite networks and related equipment have steadily improved, and today provide an effective alternative for broadband and corporate data connectivity. Furthermore, the gradual improvement of geostationary satellites


has now taken a major step forward with the development and introduction of high throughput satellites (HTS).

Solving the satellite design dilemma

To understand the metrics of HTS, we need to take a step back and consider the basic principles of satellite networks. In their simplest form, geostationary telecommunication satellites are 'signal mirrors'. A satellite receives a signal from the user satellite terminal and 'reflects' or 'relays' this signal on to the central hub or base station. The power level of the transmission signal greatly determines the maximum data rate and the effective cost per MB. The more power, the higher the data rate and the lower the MB cost.

The next logical step is therefore to increase power in order to further reduce MB costs. Unfortunately, this will also result in reduced signal coverage areas, or smaller signal zones. Finding a solution for this 'design dilemma' is the basic advantage of HTS solution architecture.

By introducing multiple beams that can increase the satellite signal power through reducing beam zones, the satellite's effective total performance is based on the sum of multiple single beam satellites. This provides a multiplication factor in data rates, a reduction in data costs and the introduction of multiple spot beams. The basic HTS design thus relies on frequency reuse to create multiple spot beams with higher signal power levels. This principle is applied in C, Ku and Ka-bands and doesn't relate only to Ka-band technologies.



HTS almost exclusively make use of frequency reuse and multiple spot beams.

Into the future

The introduction of HTS-based services and solutions to the market will require various industry, market and implementation changes. The satellite industry is evolving at a rapid rate to meet all these challenges and make this a reality.

Going forward, satellite-based telecommunication services will certainly keep growing and will be the lead options for connecting the 340 million people beyond the reach of terrestrial networks.

ABOUT DAWIE DE WET

Dr Dawie de Wet is the CEO of Q-KON

- 5 user applications that are ideal for satellite technology - 17 Aug 2018
- What's needed for large-scale satellite networks is not only technology - 29 Jan 2018
- The case for satellite internet in Africa - 23 Dec 2016
- The why and how of high throughput satellites - 2 Dec 2016
- What the loss of Falcon 9 and Amos-6 means for African connectivity - 21 Sep 2016

[View my profile and articles...](#)

For more, visit: <https://www.bizcommunity.com>