

Researchers look to phyto-remediation to reduce impact of vanadium in crop soil

South Africa has a rich supply of heavy metal vanadium, a by-product of the mining process, and is found in areas with rich iron ore deposits. As other metals and minerals are mined, acid mine drainage changes the pH of our rivers, streams and soils and releases the vanadium.



Vanadium Image by W. Oelen, CCBY-SA 3.0, Wikimedia Commons

What happens next is the subject of a <u>study</u> by Dr Marshall Keyster, deputy head of the Department of Biotechnology at the University of the Western Cape. The research was funded by the Centre of Excellence in Food Security's Innovation Programme, headed by Professor Ndiko Ludidi of UWC.

"Acid mine drainage makes vanadium soluble, and that means that it is present in the soil in quantities that have an effect on the crops that are grown and on our food safety. And it does not just affect the areas around the mines: research has shown that there is vanadium present in the Cape Town aquifer," he said.

No legal acceptable limit of vanadium in our soils

Although there are some laws regarding the presence of metals such as vanadium in our drinking water, there is currently no legislation in South Africa to determine an acceptable limit to the amount of vanadium in our soils.

Dr Keyster and his team have been investigating different canola cultivars to see if any would be suitable to be used as phyto-remediation for soils containing high vanadium levels. Phyto-remediation is the use of living plants to clean up soil, air and water contaminated with hazardous materials.

"Our research indicated that members of the Brassica family were potentially efficient in phytorememdiation," he said. "We conducted experiments with two contrasting Brassica napus - rapeseed or canola - genotypes (Agamax and AV Garnet). We assessed both the impact of vanadium on plant growth and development, as well as the ability of the plants to store vanadium in their roots and leaves."

The ideal phyto-remediation candidate would be a plant that keeps harmful materials in its roots rather than transporting them to the leaves or seeds. This would mean that, in the case of an important food crop like canola, the farmer would potentially be able to reap a harvest during the year that the remediation is underway.

Agamax the better phyto-remediation candidate

"We found that the Agamax had a greater tolerance to vanadium stress," he said. "And that it held a much higher amount of the metal in its roots when compared to AV Garnet, which displayed much more leaf yellowing and leaf and cell death.

"Our conclusion was that AV Garnet could be used for remediation only, but that Agamax was a better candidate for both remediation and food production. We need to do further research to determine the cycle of remediation vs crop years, but Agamax would potentially be able to produce a safe crop and be used for phyto-remediation at the same time."

Further research that still needs to be done is to assess the impact of vanadium on the fungi and bacteria that contribute to soil health and plant yield.

For more, visit: https://www.bizcommunity.com